Classification Report

Single-axis hinges as per EN 1935 : 2002

Test Report Nr. 18-001766-PR01 (PB-G02-03-en-01)

Client WALA Sp. z o.o. ul. Parkowa 16 43-365 Wilkowice Poland

Product Single-axis hinge

WPCV AXM

Material of hinge pin: Diameter of hinge pin:

Diameter of hinge knuckles: Thickness of hinge flaps:

Designation

Performance-relevant Hinge length: product details Material of door hinge:

95 mm Aluminium, ZnAl, Polyamide, Stainless steel 10 mm 22 mm 5 mm

Maintenance	According to maintenance instructions from hardware manufacturer
Special features	-/-

Special features

Results

Classification according to EN 1935 : 2002

Category of use	Mechanical durability	Door mass	Fire resistance	Safety	Corrosion resistance	Protection	Hinge grade
4	7	7	0	1	4	1	13

ift Rosenheim 04.07.2018

emp

Konrad Querengässer, Dipl.-Ing. (FH) Head of Testing Department Security/Safety Testing



Erwin Heimbuchner **Operating Testing Officer** Security/Safety Testing



Basis EN 1935 : 2002

Test standards: EN 1935 : 2002

Equivalent national versions (e.g. DIN EN) Representation



Instructions for use

This test report serves to verify compliance with the requirements for hinges as per EN 1935 : 2002 This test report does not replace the EC Certificate of Conformity. Observe the provisions of EN 1935 : 2002 for marking and evaluation of conformity of construction products ...

Validity

The data and results refer solely to the tested and described specimen. Classification remains valid as long as the product and the above basis remain unchanged. The results can be extrapolated under the manufacturer's own liability subject to observance of the relevant specifications set out by the applicable product standard. This test/evaluation does not allow any statement to be made on any further characteristics regarding performance and quality of the construction presented; in particular the effects of weathering and ageing were not taken into account ..

Notes on publication

The ift-Guidance Sheet Advertising with ift test documents" applies. The cover sheet can be used as an abstract.

The report contains a total of 19 pages.

ift Rosenheim GmbH Theodor-Gietl-Str. 7-9 D-83026 Rosenheim

Kontakt Tel. +49.8031.261-0 Fax +49.8031.261-290 www.ift-rosenheim.de

Prüfung und Kalibrierung – EN ISO/IEC 17025 Inspektion – EN ISO/IEC 17020 Zertifizierung Produkte – EN ISO/IEC 17065 Zertifizierung Managementsysteme – EN ISO/IEC 17021

Notified Body 0757 PITZ-Stelle: BAY 18

